

INVITATION FOR QUOTATION

TEQIP-II/2017/UK1G01/Shopping/84

26-Feb-2017

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Smart Class Equipments	1	30	BTKIT, Dwarahat	yes at site

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase II** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.

3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.

3.6 The Prices should be quoted in Indian Rupees only.

4. Each bidder shall submit only one quotation.

5. Quotation shall remain valid for a period not less than **55** days after the last date of quotation submission.

6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

6.1 are properly signed ; and

6.2 confirm to the terms and conditions, and specifications.

7. The Quotations would be evaluated for all items together.

8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

9. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 100% of total cost

Satisfactory Acceptance - 0% of total cost

10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.

11. You are requested to provide your offer latest by **11:30** hours on **11-Mar-2017** .

12. Detailed specifications of the items are at Annexure I.
13. Training Clause (if any) **yes**
14. Testing/Installation Clause (if any) **yes**
15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
16. Sealed quotation to be submitted/ delivered at the address mentioned below,
Coordinator TEQIP-II, BTKIT, Dwarahat - 263653 District - Almora, Uttarakhand
17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications
1	Smart Class Equipments	<p>1. Projector Display System 3 LCD system Size of effective display area 0.59" (15 mm) x 3, Bright Era & Aspect ratio: 16:10 Number of pixels 3,072,000 (1280 x 800 x 3) pixels Zoom Optical: Manual (Approx. x 1.3) Focus Manual Throw ratio 1.36:1 to 1.77:1 Type Ultra high pressure mercury lamp 215 W Filter cleaning cycle Max. 1000 H Screen size 30" to 300" (0.76 m to 7.62 m) Lamp mode: High / Standard / Low 3000 lm / 2200 lm / 1900 lm Contrast ratio (full white / full black) 4000:01:00 Horizontal 19 kHz to 92 kHz Vertical 48 Hz to 92 Hz Computer signal input Maximum display resolution: UXGA 1600 x 1200 dots*4 Panel display resolution: 1280 x 800 dots Video signal input NTSC, PAL, SECAM, 480/60i, 576/50i, 480/60p, 576/50p, 720/60p, 720/50p, 1080/60i, 1080/50i, Color system NTSC3.58, PAL, SECAM, NTSC4.43, PAL-M, PAL-N Keystone correction Max. Vertical: +/- 30 degrees Power Supply 5V 2A (USB Type-A) Speaker 1 W x 1 (monaural) Operating temperature (Operating humidity) 0°C to 35°C / 32°F to 95°F (20% to 80%; no condensation) Storage temperature (Storage humidity) -10°C</p>

		<p>to +60°C / 14°F to +140°F (20% to 80%; no condensation) Mass 2.7 kg / 5.9 lb AC 100 V to 120 V RM-PJ8 Remote Commander (1), Lithium battery: CR2025 (1), AC Power Cord (1), Operating Instructions (CDROM) (1), Quick Reference Manual (1), Mini D-sub 15-pin cable (1), Lens cap (1), Carrying case (1) 2. Smart Metallic E-Podium • The System must be provided with integrated 22" touch based display • Facility for external Laptop and projector connections. • In board gooseneck mike and with 4 speakers for 15 watts , with power amplifiers • The system must have wi-fi based web browsing etc , • The system must be provided with facility for live video and ppt. • Resolution: 1920 x 1080 • The e-podium must have facility for various HDMI Inputs • The e-podium must be provided with CPU Dual-Core 1.2Ghz • RAM DDR3 512M,Flash 2GB • HDMI : 1280*720P,1920*1080p • OS supported : window 10 with license etc • Internal memory storage : 32 GB • Output : 1*HDMI Port, , 4*USB2.0 Port, 1*Audio output Port 3. Wireless Robotic Based Video Capture System • The system is suitable for lecture recording using APPLE IPAD AND SOFWTARE , • The system is supplied with following parts Base, Marker, Charger, Adapter grips, Audio cable, Micro USB cable and Manual • The system can rotate Pan: 360 degree continuous with max 45 degree/sec and 0.1degree step increment size. • Tilt: 25 degree range with max 10 degree/sec and 0.1degree step increment size. • Tracking: 2-30 foot range of operation line of site • Mobile compatibility: IOS and Android with app integration, Windows with manual control. • Camera compatibility : controls to Canon and Nikon cameras • Size: 80mm x 30mm • Remote Controls: Record, Action, Right & Left • Build in Microphone :2.4Ghz Pure path Wireless Digital Mic, 30 ft range • Battery :Re-chargeable Lithium Polymer with estimated 4 hour run time • Device Mounting: Any mobile device or device with protective case under 12mm thick or camera under 8 lbs (requires camera mount - SW5050) • Mobile Charging: 1Amp via a standard USB connection to base I/O:USB, micro USB, 2.5mm Shutter, 3.5mm audio • IOS software Features: Start/stop video recording from marker Easiest way to control capture: IOS and android. Automatic 360 degree video capture Perfect for environment capture Pause tracking from marker button Better presentation control Base and battery level indications know when charging is needed before you run out Tracking disable/enable Perfect</p>
--	--	---

		<p>for whiteboard capture and other special setups Indication of maximum video recording length Help with recording and space planning Countdown timer Helps to plan a capture session and keep it on track More efficient video bitrates and HD/SD recording ion Results in smaller video files for easier transfer</p> <p>4. Interactive I-Pad Solutions with Required Accessories Panel Size 10 inch (254 mm) or better Technology Electromagnetic Resolution 4000 lines per inch Wireless Medium RF Range 15 meters or more Touch Input Battery operated Electronic Pen with 2 Button LCD Display Built in LCD Display for displaying battery staufs, charging status, prs, etc. Pen Charging Pen charger should be housed within the pad's body. Battery Pad should have USB rechargeable Lithium-Ion batteries.</p> <p>Simulatenous working More than 50 pads should be able to work simultaneously. Annotation draw, Features Annotation software shall include features like choose, pens, annotate, erase, color, shapes, sizes, text, Edit, fonts, stamp, move, capture, picture, video, save, Rotate, undo, image gallery, print, floating key- board and Background etc. Operating System Windows and Linux both. Weight less than 1000 gm Operating Temperature 5 to 40 deg C</p>
--	--	--

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____