

INVITATION FOR QUOTATION

TEQIP-III/2018/btec/Shopping/44

30-Jul-2018

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Environmental Engineering Lab Equipemts	1	60	BTKIT, Dwarahat	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.

3.4 Applicable taxes shall be quoted separately for all items.

3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.

3.6 The Prices should be quoted in Indian Rupees only.

4. Each bidder shall submit only one quotation.

5. Quotation shall remain valid for a period not less than **55** days after the last date of quotation submission.

6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

6.1 are properly signed ; and

6.2 confirm to the terms and conditions, and specifications.

7. The Quotations would be evaluated for all items together.

8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

9. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 100% of total cost

Satisfactory Acceptance - 0% of total cost

10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.

11. You are requested to provide your offer latest by **10:00** hours on **13-Aug-2018** .
12. Detailed specifications of the items are at Annexure I.
13. Training Clause (if any) **yes**
14. Testing/Installation Clause (if any) **Yes**
15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
16. Sealed quotation to be submitted/ delivered at the address mentioned below,
Dwarahat Almora Pin-263653 Uttarakhand
17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications
1	Environmental Engineering Lab Equipemts	<p>S. N. ITEMS/ Specifications QTY. (In nos.) 1. Sound Level Meter : Display : 4 digits LCD, Microphone : ½ inch Electret condenser microphone Low battery Indication : Replace battery when LCD displays Power Supply : 9V NEDA 1604, IEC 6F 22, JIS 006P Power Life: Battery Approx. 50 hrs (Alkine battery) Auto power Off : Approx 5 Min. Enviroment : indoor Operation , <2000m Temperature / Humidity Operation 5 0C to 40 0C (41 0F to 104 0F), <80% RH Storage : -10 0C to 60 0C (41 0F to 104 0F), <70% RH Dimension : 200x55x38 mm (7.8x2.2x1.5 in) Weight : 233g (0.5 lb) including battery Electrical (Audio) Standard applied : IEC 651 type2, ANSI 1.4 Type 2 Dynamic range : 50 db Resolution : 0.1db, Display : 0.5 Sec Time weighting FAST (125 mS), SLOW (1 sec. Frequency range : 31.5 Hz to 8 kHz Measuring level range : (auto range) A Weighting : 30 to 130 dB C Weighting : 35 to 130 dB Accuracy : ± 1.5 dB Calibration cycle : 1 Year 1 2.</p> <p>PH meter: Digital pH, Conductivity and Temp. Meter for</p>

		<p>measurement of pH, conductivity & temp., 31/2digit LED display with pH combination electrode, conductivity cell and temperature probe (Table Model) Resolution : 0.01, Accuracy : 0.01, Temperature : 0 to 100 oC Accessories on Request a) pH Combination Electrode (0-14pH) b) Temperature Probe c) Electrode Stand (Rotational) 1 1 1 1 3.</p> <p>Conductivity /TDS bench meter: Conductivity /TDS kit 8 Pin DIN Connector for Conductivity Cell & 10K Thermistor AC Adaptor 1 4. Turbidity Meter: Includes: Meter, Set of Calibration stand Indexing Rings, 1 5. Electronic Analytical Balances: Specification: • Capacity: 220g • Readability: 0.1mg / 0.0001g • HCD (High contrast display) • Overload protection • MonoBloc weighing technology 1 6.</p> <p>C.O.D. DIGESTION APPARATUS - FOR 15 SAMPLES: Construction Details Outer cabinet is made of mild steel duly powder coated. Double wall construction with insulation for minimum heat losses increases the efficiency of the system. Aluminum Block with holes (Dimension 40 mm Diameter x 80 mm Depth) is used to hold 15 Nos COD tubes. Aluminum Block is heated to maintain temperature up to 180° C Solid state Digital Temperature Controller, appropriate heater & insulation ion assure uniformity in all the samples. able timer up to 120 min/h alarm is provided to set the digestion period (Refluxing). After digestion, analyze the sample with titrimetric method. (without chemicals and accessories for Titration) Supplied with 15 sets of Glassware</p> <p>Technical Specifications Temperature Range : Above ambient to 180° C or higher Temperature Resolution : 0.1° C Display : Digital 12mm Red LED Control : Digital Electronic Temperature Controller Heater Rating : 750 Watts Sensor : PT-100 Timer : able 15, 30, 45, 60, 90 or 120 minutes with alarm Hole Size : 40mm Diameter x 80mm Depth Glass Tube : 38mm diameter, 15 no (3 x 5 rows) Sample Volume : 20 ml Each Overall size : 26 x 15 x 11" Optional Accessories at Extra Cost: • Spare COD Tube • Spare Air condenser • COD Tube Stand (for 15 tubes) • Air Condenser Stand (for 15 tubes) • S.S.Bath with inlet and outlet for Tap water - facilitates rapid cooling of Glassware 1 1 1 1 1 7.</p> <p>Horizontal Deep Freezer: Specification:- • Material Type : Internal: Stainless Steel External: Powder Coated CRCA Steel • Dimension : WHD: Inner: 600 x 400 x 700 mm Outer: 1150 x</p>
--	--	---

		<p>500 x 910 mm • Capacity : Internal: 170 litres • Product Type : LED Version 1 Voltage stabilizer 1 8.</p> <p>Lab Water purification system: Product details: Dimensions 450 * 240 * 440 (mm) Turbidity 13 kg Capacity 10 L / h Description: Applications • Sample pretreatment, e.g.: reagents preparation, laboratory washing and tissue cleaning. • Conventional physical and chemical analysis experiment, e.g.: Toxicity test, quantitative analysis of trace element, buffer solution. • HPLC/LC-MS organic analysis. • IC/ICP-MS element analysis. 1 9. Dissolved Oxygen Meter: Features: Microprocessor based for fast and accurate measurements. Large LCD display DO and Temperature readings simultaneously. Simple to calibrate by one keyboard and ATC. Memory with Data-hold and Max/Min and shows PTS after calibration. Easy to replace the DO probe module. Specifications: Parameter DO O2 Temp Range 0 to 20 mg/L 0 to 200% 0 to 90 ? Accuracy ±0.2 + 1digit ± 2% FS ±0.2+1 digit Resolution 0.01 0.1 0.1 ATC 0 – 50 ? MSC 0 – 50 ppt MAC 0 – 20000 ft Dimensions Meter: 195 x 40 x 36 mm, Kit: 230 x 205 x 50 mm 1 10. Chlorine testing kit 4 11.</p> <p>B.O.D. INCUBATOR: Features: • Robustness • Easy installation • Premium quality Specifications: • Rated Voltage: AC 220V±10% 50Hz • Power: 2800W • Temperature Controlling Mode: Digital Display • Temperature Controlling Point: 24°C, 93.5°C • Temperature Controlling Precision: ±0.1°C 1 12. Digital Weighing Machine (upto 25 Kg) 1</p>
--	--	--

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ———— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____